



TM

KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org


An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT**ALATGE STONE CRUSHING INDUSTRIES****DANDA- BAGMANDLA- SAIGAON BAUXITE MINE****Station: Haulage Road (Near Core Zone)**

Sr. No.	Month	Reports No.	Date	RSPM-10 (µg/m ³)	RSPM-2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m ³)	Lead (µg/m ³)
1	December -2015	1512/10601	03.12.2015	72.46	16.79	8.12	3.30	BDL	BDL
2		1512/10661	07.12.2015	73.79	18.24	5.78	5.75	BDL	BDL
3		1512/10704	10.12.2015	69.56	17.63	8.64	5.34	BDL	BDL
4		1512/10747	13.12.2015	74.76	19.26	7.27	4.25	BDL	BDL
5		1512/10790	16.12.2015	71.86	20.53	6.95	5.36	BDL	BDL
6		1512/10833	19.12.2015	72.56	23.46	5.68	3.95	BDL	BDL
7		1512/10876	26.12.2015	70.11	18.75	6.75	2.68	BDL	BDL
8		1512/10919	30.12.2015	71.24	17.46	5.39	1.78	BDL	BDL
1	January 2016-	1601/01081	03.01.2016	72.16	15.89	4.56	5.13	BDL	BDL
2		1601/01024	07.01.2016	73.47	16.87	5.78	0.74	BDL	BDL
3		1601/01067	11.01.2016	72.18	17.42	6.45	1.95	BDL	BDL
4		1601/01109	15.01.2016	72.62	15.79	7.17	2.17	BDL	BDL
5		1601/01152	19.01.2016	70.45	17.35	6.38	1.69	BDL	BDL
6		1601/01195	23.01.2016	72.64	16.75	4.58	2.13	BDL	BDL
7		1601/01238	27.01.2016	73.57	18.74	5.69	0.96	BDL	BDL
8		1601/01281	30.01.2016	70.42	19.64	5.89	1.65	BDL	BDL
1	February-2016	1602/02555	03.02.2016	72.37	15.45	4.70	2.69	BDL	BDL
2		1602/02598	06.02.2016	72.58	16.79	7.17	2.70	BDL	BDL
3		1602/02641	10.02.2016	62.16	16.21	6.98	1.85	BDL	BDL
4		1602/02684	13.02.2016	70.75	16.51	5.69	0.74	BDL	BDL
5		1602/02727	17.02.2016	73.65	18.94	7.32	2.36	BDL	BDL
6		1602/02770	20.02.2016	74.13	17.65	7.13	2.46	BDL	BDL
7		1602/02813	22.02.2016	70.64	16.34	8.96	3.17	BDL	BDL
8		1602/02856	26.02.2016	72.47	18.41	6.35	1.94	BDL	BDL
	Avg.	-	-	71.77	17.78	6.47	2.78	-	-
	Min.	-	-	62.16	15.45	4.56	0.74	-	-
	Max.	-	-	74.76	23.46	8.96	5.75	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.
REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



TM

KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES									
DANDA- BAGMANDLA- SAIGAON BAUXITE MINE									
Station: Mining Pit (Near Core zone)									
Sr. No.	Month	Reports No.	Date	RSPM-10 (µg/m3)	RSPM-2.5 (µg/m3)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m3)	Lead (µg/m ³)
1	December - 2015	1512/10602	03.12.2015	74.56	19.16	7.45	2.56	BDL	BDL
2		1512/10662	07.12.2015	76.28	18.89	6.90	2.19	BDL	BDL
3		1512/10705	10.12.2015	70.16	18.54	8.23	4.15	BDL	BDL
4		1512/10748	13.12.2015	72.57	17.37	6.89	1.16	BDL	BDL
5		1512/10791	16.12.2015	75.25	19.53	5.87	0.98	BDL	BDL
6		1512/10834	19.12.2015	71.69	16.32	4.79	2.67	BDL	BDL
7		1512/10877	26.12.2015	77.70	14.89	6.32	1.78	BDL	BDL
8		1512/10920	30.12.2015	69.63	18.74	8.32	3.63	BDL	BDL
1	January 2016-	1601/01082	03.01.2016	72.79	16.35	6.53	1.65	BDL	BDL
2		1601/01025	07.01.2016	72.58	18.26	6.75	0.76	BDL	BDL
3		1601/01068	11.01.2016	77.17	23.14	7.23	2.47	BDL	BDL
4		1601/01110	15.01.2016	69.80	17.73	5.85	0.38	BDL	BDL
5		1601/01153	19.01.2016	72.58	19.73	7.42	2.63	BDL	BDL
6		1601/01196	23.01.2016	71.47	21.83	8.21	3.12	BDL	BDL
7		1601/01239	27.01.2016	72.58	17.38	6.53	0.77	BDL	BDL
8		1601/01282	30.01.2016	70.24	19.32	5.98	1.89	BDL	BDL
1	February- 2016	1602/02556	03.02.2016	72.45	15.89	4.46	0.65	BDL	BDL
2		1602/02599	06.02.2016	73.52	16.37	3.77	0.21	BDL	BDL
3		1602/02642	10.02.2016	73.64	16.78	4.26	1.98	BDL	BDL
4		1602/02685	13.02.2016	71.68	14.98	5.40	1.32	BDL	BDL
5		1602/02728	17.02.2016	69.75	19.74	6.32	0.98	BDL	BDL
6		1602/02771	20.02.2016	70.74	20.34	7.59	2.59	BDL	BDL
7		1602/02814	22.02.2016	72.47	21.16	8.42	3.64	BDL	BDL
8		1602/02857	26.02.2016	73.76	19.73	7.24	2.89	BDL	BDL
	Avg.	-	-	72.71	18.42	6.53	1.96	-	-
	Min.	-	-	69.63	14.89	3.77	0.21	-	-
	Max.	-	-	77.7	23.14	8.42	4.15	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
 PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.
 REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES									
DANDA- BAGMANDLA- SAIGAON BAUXITE MINE									
Station: Saigaon Village (Near Buffer Zone)									
Sr. No.	Month	Reports No.	Date	RSPM-10 (µg/m3)	RSPM-2.5 (µg/m3)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m3)	Lead (µg/m ³)
1	December - 2015	1512/10603	03.12.2015	68.38	16.25	8.46	3.96	BDL	BDL
2		1512/10663	07.12.2015	59.52	16.54	7.15	6.17	BDL	BDL
3		1512/10706	10.12.2015	72.20	20.14	5.80	5.28	BDL	BDL
4		1512/10749	13.12.2015	65.31	14.28	6.80	4.39	BDL	BDL
5		1512/10792	16.12.2015	68.95	19.65	7.35	6.32	BDL	BDL
6		1512/10835	19.12.2015	67.62	20.36	8.15	7.18	BDL	BDL
7		1512/10878	26.12.2015	65.96	21.45	7.95	6.25	BDL	BDL
8		1512/10921	30.12.2015	70.15	25.63	6.84	4.28	BDL	BDL
1	January 2016-	1601/01083	03.01.2016	71.34	14.17	8.40	3.15	BDL	BDL
2		1601/01026	07.01.2016	66.14	18.41	6.64	4.31	BDL	BDL
3		1601/01069	11.01.2016	69.81	18.37	5.92	1.56	BDL	BDL
4		1601/01111	15.01.2016	72.32	18.96	6.56	2.74	BDL	BDL
5		1601/01154	19.01.2016	71.67	19.85	5.28	0.97	BDL	BDL
6		1601/01197	23.01.2016	74.28	17.63	7.36	3.16	BDL	BDL
7		1601/01240	27.01.2016	70.35	18.28	8.19	2.95	BDL	BDL
8		1601/01283	30.01.2016	20.35	16.86	7.65	1.96	BDL	BDL
1	February- 2016	1602/02557	03.02.2016	69.34	17.16	8.15	2.33	BDL	BDL
2		1602/02600	06.02.2016	71.45	16.95	6.19	1.64	BDL	BDL
3		1602/02643	10.02.2016	70.14	15.17	8.68	2.65	BDL	BDL
4		1602/02686	13.02.2016	72.34	16.62	6.99	1.85	BDL	BDL
5		1602/02729	17.02.2016	74.25	18.96	5.98	0.96	BDL	BDL
6		1602/02772	20.02.2016	72.31	19.35	6.34	1.23	BDL	BDL
7		1602/02815	22.02.2016	70.62	20.85	9.86	3.65	BDL	BDL
8		1602/02858	26.02.2016	69.85	16.36	8.28	4.69	BDL	BDL
	Avg.	-	-	67.69	18.26	7.29	3.48	-	-
	Min.	-	-	20.35	14.17	5.28	0.96	-	-
	Max.	-	-	74.28	25.63	9.86	7.18	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com

PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.

REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org


An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES									
DANDA- BAGMANDLA- SAIGAON BAUXITE MINE									
Station: Kolmandle Village (Near Buffer Zone)									
Sr. No.	Month	Reports No.	Date	RSPM-10 (µg/m ³)	RSPM-2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m ³)	Lead (µg/m ³)
1	December -2015	1512/10604	03.12.2015	74.13	21.15	8.23	2.46	BDL	BDL
2		1512/10664	07.12.2015	72.14	18.34	7.52	1.87	BDL	BDL
3		1512/10707	10.12.2015	70.53	19.61	6.87	2.16	BDL	BDL
4		1512/10750	13.12.2015	74.68	14.70	5.10	1.79	BDL	BDL
5		1512/10793	16.12.2015	75.76	16.89	6.15	1.65	BDL	BDL
6		1512/10836	19.12.2015	72.80	19.63	5.98	2.37	BDL	BDL
7		1512/10879	26.12.2015	73.15	20.81	7.86	3.41	BDL	BDL
8		1512/10922	30.12.2015	72.83	23.78	9.21	4.21	BDL	BDL
1	January 2016-	1601/01084	03.01.2016	75.68	19.23	7.21	2.39	BDL	BDL
2		1601/01027	07.01.2016	70.62	17.54	5.65	0.76	BDL	BDL
3		1601/01070	11.01.2016	73.74	22.16	4.78	1.68	BDL	BDL
4		1601/01112	15.01.2016	72.84	17.26	5.87	2.17	BDL	BDL
5		1601/01155	19.01.2016	71.38	18.73	7.35	3.52	BDL	BDL
6		1601/01198	23.01.2016	72.51	20.31	8.17	4.16	BDL	BDL
7		1601/01241	27.01.2016	74.79	21.27	7.31	3.18	BDL	BDL
8		1601/01284	30.01.2016	71.49	27.64	8.54	2.79	BDL	BDL
1	February- 2016	1602/02558	03.02.2016	73.44	19.52	6.79	1.69	BDL	BDL
2		1602/02601	06.02.2016	70.85	21.13	7.27	2.77	BDL	BDL
3		1602/02644	10.02.2016	75.12	18.79	7.13	1.36	BDL	BDL
4		1602/02687	13.02.2016	74.57	19.63	6.89	1.73	BDL	BDL
5		1602/02730	17.02.2016	78.52	20.26	8.35	2.89	BDL	BDL
6		1602/02773	20.02.2016	79.13	22.73	9.62	3.92	BDL	BDL
7		1602/02816	22.02.2016	74.57	18.89	5.90	0.64	BDL	BDL
8		1602/02859	26.02.2016	72.37	17.98	7.21	2.49	BDL	BDL
	Avg.		-	73.65	19.91	7.12	2.41	-	-
	Min.		-	70.53	14.7	4.78	0.64	-	-
	Max.		-	79.13	27.64	9.62	4.21	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.
REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org


An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES									
DANDA- BAGMANDLA- SAIGAON BAUXITE MINE									
Station: Danda Village (Near Buffer Zone)									
Sr. No.	Month	Reports No.	Date	RSPM-10 (µg/m3)	RSPM-2.5 (µg/m3)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m3)	Lead (µg/m ³)
1	December -2015	1512/10605	03.12.2015	71.34	18.74	7.35	2.36	BDL	BDL
2		1512/10665	07.12.2015	73.17	19.14	4.89	1.78	BDL	BDL
3		1512/10708	10.12.2015	70.54	17.27	7.43	3.66	BDL	BDL
4		1512/10751	13.12.2015	75.24	16.17	5.78	2.15	BDL	BDL
5		1512/10794	16.12.2015	76.74	19.54	6.80	2.89	BDL	BDL
6		1512/10837	19.12.2015	73.68	20.32	8.32	4.21	BDL	BDL
7		1512/10880	26.12.2015	69.42	18.54	6.89	1.67	BDL	BDL
8		1512/10923	30.12.2015	70.21	15.38	5.15	0.87	BDL	BDL
1	January 2016-	1601/01085	03.01.2016	73.47	13.12	4.78	0.63	BDL	BDL
2		1601/01028	07.01.2016	69.75	14.26	5.46	1.67	BDL	BDL
3		1601/01071	11.01.2016	75.36	13.85	6.12	1.66	BDL	BDL
4		1601/01113	15.01.2016	70.22	14.17	4.78	1.23	BDL	BDL
5		1601/01156	19.01.2016	73.74	18.54	5.87	2.62	BDL	BDL
6		1601/01199	23.01.2016	76.87	21.34	8.90	3.37	BDL	BDL
7		1601/01242	27.01.2016	75.98	22.98	9.42	2.99	BDL	BDL
8		1601/01285	30.01.2016	70.34	13.86	5.87	1.47	BDL	BDL
1	February-2016	1602/02559	03.02.2016	74.26	15.67	4.89	0.75	BDL	BDL
2		1602/02602	06.02.2016	70.36	15.86	6.54	0.36	BDL	BDL
3		1602/02645	10.02.2016	72.16	17.34	5.13	2.53	BDL	BDL
4		1602/02688	13.02.2016	79.21	23.27	7.24	0.49	BDL	BDL
5		1602/02731	17.02.2016	76.33	21.84	9.83	2.87	BDL	BDL
6		1602/02774	20.02.2016	72.87	19.45	7.76	1.58	BDL	BDL
7		1602/02817	22.02.2016	70.63	16.87	5.69	2.68	BDL	BDL
8		1602/02860	26.02.2016	71.85	15.78	3.87	0.79	BDL	BDL
	Avg.	-	-	73.07	17.63	6.44	1.97	-	-
	Min.	-	-	69.42	13.12	3.87	0.36	-	-
	Max.	-	-	79.21	23.27	9.83	4.21	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com

PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.

REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001:2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES


DANDA- BAGMANDLA- SAIGAON BAUXITE MINE

Station: Harihareshwar Temple (Near Buffer Zone)

Sr. No.	Month	Reports No.	Date	RSPM-10 ($\mu\text{g}/\text{m}^3$)	RSPM-2.5 ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m ³)	Lead ($\mu\text{g}/\text{m}^3$)
1	December -2015	1512/10606	03.12.2015	71.54	13.68	5.89	2.56	BDL	BDL
2		1512/10666	07.12.2015	73.14	19.14	7.13	3.20	BDL	BDL
3		1512/10709	10.12.2015	73.20	16.27	3.70	0.74	BDL	BDL
4		1512/10752	13.12.2015	72.87	17.27	6.78	2.46	BDL	BDL
5		1512/10795	16.12.2015	70.63	17.89	5.87	3.80	BDL	BDL
6		1512/10838	19.12.2015	71.76	16.85	4.75	1.98	BDL	BDL
7		1512/10881	26.12.2015	69.45	19.65	7.61	2.60	BDL	BDL
8		1512/10924	30.12.2015	68.90	20.32	7.34	3.25	BDL	BDL
1	January 2016-	1601/01086	03.01.2016	74.10	17.16	6.76	2.80	BDL	BDL
2		1601/01029	07.01.2016	69.21	15.68	6.10	1.22	BDL	BDL
3		1601/01072	11.01.2016	72.54	13.67	4.72	2.79	BDL	BDL
4		1601/01114	15.01.2016	76.16	18.42	6.80	1.86	BDL	BDL
5		1601/01157	19.01.2016	73.76	20.31	8.42	3.79	BDL	BDL
6		1601/01200	23.01.2016	74.85	21.74	7.14	4.86	BDL	BDL
7		1601/01243	27.01.2016	71.89	18.42	8.12	3.77	BDL	BDL
8		1601/01286	30.01.2016	77.12	17.89	7.37	3.74	BDL	BDL
1	February- 2016	1602/02560	03.02.2016	74.80	18.23	6.88	2.38	BDL	BDL
2		1602/02603	06.02.2016	74.63	16.52	6.84	1.84	BDL	BDL
3		1602/02646	10.02.2016	72.46	18.63	7.59	2.68	BDL	BDL
4		1602/02689	13.02.2016	72.53	15.67	6.87	0.76	BDL	BDL
5		1602/02732	17.02.2016	70.31	13.78	5.99	1.69	BDL	BDL
6		1602/02775	20.02.2016	58.78	16.87	6.31	2.48	BDL	BDL
7		1602/02818	22.02.2016	66.93	21.58	8.24	4.52	BDL	BDL
8		1602/02861	26.02.2016	72.58	16.91	6.87	1.80	BDL	BDL
	Avg.		-	71.83	17.60	6.67	2.64	-	-
	Min.		-	58.78	13.67	3.7	0.74	-	-
	Max.		-	77.12	21.74	8.42	4.86	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com

PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.

REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001:2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified