



TM

KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT**ALATGE STONE CRUSHING INDUSTRIES****KURWADE MARAL BAUXITE MINE****Station: Haulage Road (Near Core Zone)**

Sr. No.	Month	Reports No.	Date	RSPM-10 (µg/m ³)	RSPM-2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m ³)	Lead (µg/m ³)
1	December - 2015	1512/10614	03.12.2015	74.13	17.27	7.80	3.79	BDL	BDL
2		1512/10668	07.12.2015	76.32	17.12	6.35	1.89	BDL	BDL
3		1512/10711	10.12.2015	72.75	16.47	5.89	0.68	BDL	BDL
4		1512/10754	13.12.2015	73.17	18.32	8.15	3.56	BDL	BDL
5		1512/10797	16.12.2015	71.86	17.84	9.76	3.31	BDL	BDL
6		1512/10840	19.12.2015	77.12	16.98	8.87	2.78	BDL	BDL
7		1512/10883	26.12.2015	72.95	15.89	7.80	3.57	BDL	BDL
8		1512/10926	30.12.2015	72.43	15.68	6.90	2.80	BDL	BDL
1	January -2016	1601/01088	03.01.2016	74.52	15.89	6.80	2.36	BDL	BDL
2		1601/01031	07.01.2016	72.37	13.47	5.58	2.88	BDL	BDL
3		1601/01074	11.01.2016	76.21	17.31	6.78	3.67	BDL	BDL
4		1601/01116	15.01.2016	70.24	16.26	7.49	1.75	BDL	BDL
5		1601/01159	19.01.2016	78.89	14.87	6.42	2.89	BDL	BDL
6		1601/01202	23.01.2016	76.84	16.32	5.80	3.52	BDL	BDL
7		1601/01245	27.01.2016	73.69	17.26	6.25	3.87	BDL	BDL
8		1601/01288	30.01.2016	74.79	14.70	5.98	1.87	BDL	BDL
1	February - 2016	1602/02562	03.02.2016	74.16	19.18	7.23	4.21	BDL	BDL
2		1602/02605	06.02.2016	70.52	16.47	6.16	0.89	BDL	BDL
3		1602/02648	10.02.2016	71.67	18.24	9.13	3.56	BDL	BDL
4		1602/02691	13.02.2016	73.10	18.10	7.75	2.79	BDL	BDL
5		1602/02734	17.02.2016	78.24	20.42	6.87	3.31	BDL	BDL
6		1602/02777	20.02.2016	76.82	19.65	5.70	2.76	BDL	BDL
7		1602/02820	22.02.2016	73.68	17.72	6.32	1.90	BDL	BDL
8		1602/02863	26.02.2016	74.54	16.69	5.79	0.76	BDL	BDL
	Avg.		-	74.20	17.00	6.98	2.72	-	-
	Min.		-	70.24	13.47	5.58	0.68	-	-
	Max.		-	78.89	20.42	9.76	4.21	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.
REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



TM

KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org


An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES									
KURWADE MARAL BAUXITE MINE									
Station: Mining Pit (Near Core zone)									
Sr. No.	Month		Date	RSPM-10 ($\mu\text{g}/\text{m}^3$)	RSPM-2.5 ($\mu\text{g}/\text{m}^3$)	SO ₂ ($\mu\text{g}/\text{m}^3$)	NO _x ($\mu\text{g}/\text{m}^3$)	CO (mg/m ³)	Lead ($\mu\text{g}/\text{m}^3$)
1	December -2015	1512/10615	03.12.2015	76.10	21.14	9.25	4.57	BDL	BDL
2		1512/10669	07.12.2015	74.26	18.59	8.24	3.80	BDL	BDL
3		1512/10712	10.12.2015	70.51	14.79	6.26	3.65	BDL	BDL
4		1512/10755	13.12.2015	71.17	19.35	8.38	2.75	BDL	BDL
5		1512/10798	16.12.2015	69.46	13.64	9.13	3.75	BDL	BDL
6		1512/10841	19.12.2015	68.63	12.67	4.89	1.09	BDL	BDL
7		1512/10884	26.12.2015	69.42	17.87	8.86	3.44	BDL	BDL
8		1512/10927	30.12.2015	71.23	18.65	6.87	2.89	BDL	BDL
1	January - 2016	1601/01089	03.01.2016	73.83	17.25	4.98	0.87	BDL	BDL
2		1601/01032	07.01.2016	74.79	18.24	6.76	2.65	BDL	BDL
3		1601/01075	11.01.2016	75.15	16.23	5.17	2.88	BDL	BDL
4		1601/01117	15.01.2016	74.86	19.35	6.87	0.86	BDL	BDL
5		1601/01160	19.01.2016	73.57	20.42	9.81	3.45	BDL	BDL
6		1601/01203	23.01.2016	70.12	13.76	5.32	1.75	BDL	BDL
7		1601/01246	27.01.2016	72.58	16.73	6.36	2.68	BDL	BDL
8		1601/01289	30.01.2016	70.63	14.8	4.89	1.50	BDL	BDL
1	February - 2016	1602/02563	03.02.2016	72.37	16.47	5.65	2.32	BDL	BDL
2		1602/02606	06.02.2016	76.17	14.15	4.89	0.87	BDL	BDL
3		1602/02649	10.02.2016	74.79	20.15	9.35	2.17	BDL	BDL
4		1602/02692	13.02.2016	72.77	19.78	7.37	0.86	BDL	BDL
5		1602/02735	17.02.2016	79.43	21.54	9.65	2.87	BDL	BDL
6		1602/02778	20.02.2016	78.24	19.76	8.98	3.25	BDL	BDL
7		1602/02821	22.02.2016	76.84	20.75	7.80	2.79	BDL	BDL
8		1602/02864	26.02.2016	75.87	19.65	6.89	0.98	BDL	BDL
	Avg.		-	73.44	17.73	7.19	2.44	-	-
	Min.		-	68.63	12.67	4.89	0.86	-	-
	Max.		-	79.43	21.54	9.81	4.57	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
 PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.
 REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES

KURWADE MARAL BAUXITE MINE

Station: Danda Village (Near Buffer Zone)

Sr. No.	Month		Date	RSPM-10 (µg/m ³)	RSPM-2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m ³)	Lead (µg/m ³)
1	December - 2015	1512/10616	03.12.2015	71.34	18.74	7.35	2.36	BDL	BDL
2		1512/10670	07.12.2015	73.17	19.14	4.89	1.78	BDL	BDL
3		1512/10713	10.12.2015	70.54	17.27	7.43	3.66	BDL	BDL
4		1512/10756	13.12.2015	75.24	16.17	5.78	2.15	BDL	BDL
5		1512/10799	16.12.2015	76.74	19.54	6.80	2.89	BDL	BDL
6		1512/10842	19.12.2015	73.68	20.32	8.32	4.21	BDL	BDL
7		1512/10885	26.12.2015	69.42	18.54	6.89	1.67	BDL	BDL
8		1512/10928	30.12.2015	70.21	15.38	5.15	0.87	BDL	BDL
1	January - 2016	1601/01090	03.01.2016	73.47	13.12	4.78	0.63	BDL	BDL
2		1601/01033	07.01.2016	69.75	14.26	5.46	1.67	BDL	BDL
3		1601/01076	11.01.2016	75.36	13.85	6.12	1.66	BDL	BDL
4		1601/01118	15.01.2016	70.22	14.17	4.78	1.23	BDL	BDL
5		1601/01161	19.01.2016	73.74	18.54	5.87	2.62	BDL	BDL
6		1601/01204	23.01.2016	76.87	21.34	8.90	3.37	BDL	BDL
7		1601/01247	27.01.2016	75.98	22.98	9.42	2.99	BDL	BDL
8		1601/01290	30.01.2016	70.34	13.86	5.87	1.47	BDL	BDL
1	February - 2016	1602/02564	03.02.2016	74.26	15.67	4.89	0.75	BDL	BDL
2		1602/02607	06.02.2016	70.36	15.86	6.54	0.36	BDL	BDL
3		1602/02650	10.02.2016	72.16	17.34	5.13	2.53	BDL	BDL
4		1602/02693	13.02.2016	79.21	23.27	7.24	0.49	BDL	BDL
5		1602/02736	17.02.2016	76.33	21.84	9.83	2.87	BDL	BDL
6		1602/02779	20.02.2016	72.87	19.45	7.76	1.58	BDL	BDL
7		1602/02822	22.02.2016	70.63	16.87	5.69	2.68	BDL	BDL
8		1602/02865	26.02.2016	71.85	15.78	3.87	0.79	BDL	BDL
	Avg.		-	73.07	17.63	6.44	1.97	-	-
	Min.		-	69.42	13.12	3.87	0.36	-	-
	Max.		-	79.21	23.27	9.83	4.21	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.
REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES


KURWADE MARAL BAUXITE MINE

Station: Harihareshwar Temple (Near Buffer Zone)

Sr. No.	Month	Date	RSPM-10 (µg/m ³)	RSPM-2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m ³)	Lead (µg/m ³)	
1	December -2015	1512/10617	03.12.2015	71.54	13.68	5.89	2.56	BDL	BDL
2		1512/10671	07.12.2015	73.14	19.14	7.13	3.20	BDL	BDL
3		1512/10714	10.12.2015	73.20	16.27	3.70	0.74	BDL	BDL
4		1512/10757	13.12.2015	72.87	17.27	6.78	2.46	BDL	BDL
5		1512/10800	16.12.2015	70.63	17.89	5.87	3.80	BDL	BDL
6		1512/10843	19.12.2015	71.76	16.85	4.75	1.98	BDL	BDL
7		1512/10886	26.12.2015	69.45	19.65	7.61	2.60	BDL	BDL
8		1512/10929	30.12.2015	68.90	20.32	7.34	3.25	BDL	BDL
1	January - 2016	1601/01091	03.01.2016	74.10	17.16	6.76	2.80	BDL	BDL
2		1601/01034	07.01.2016	69.21	15.68	6.10	1.22	BDL	BDL
3		1601/01077	11.01.2016	72.54	13.67	4.72	2.79	BDL	BDL
4		1601/01119	15.01.2016	76.16	18.42	6.80	1.86	BDL	BDL
5		1601/01162	19.01.2016	73.76	20.31	8.42	3.79	BDL	BDL
6		1601/01205	23.01.2016	74.85	21.74	7.14	4.86	BDL	BDL
7		1601/01248	27.01.2016	71.89	18.42	8.12	3.77	BDL	BDL
8		1601/01291	30.01.2016	77.12	17.89	7.37	3.74	BDL	BDL
1	February - 2016	1602/02565	03.02.2016	74.80	18.23	6.88	2.38	BDL	BDL
2		1602/02608	06.02.2016	74.63	16.52	6.84	1.84	BDL	BDL
3		1602/02651	10.02.2016	72.46	18.63	7.59	2.68	BDL	BDL
4		1602/02694	13.02.2016	72.53	15.67	6.87	0.76	BDL	BDL
5		1602/02737	17.02.2016	70.31	13.78	5.99	1.69	BDL	BDL
6		1602/02780	20.02.2016	58.78	16.87	6.31	2.48	BDL	BDL
7		1602/02823	22.02.2016	66.93	21.58	8.24	4.52	BDL	BDL
8		1602/02866	26.02.2016	72.58	16.91	6.87	1.80	BDL	BDL
	Avg.	-	71.83	17.60	6.67	2.64	-	-	
	Min.	-	58.78	13.67	3.7	0.74	-	-	
	Max.	-	77.12	21.74	8.42	4.86	-	-	

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com

PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.

REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org

An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES

KURWADE MARAL BAUXITE MINE

Station: Kolmandle Village (Near Buffer Zone)

Sr. No.	Month	Reports No.	Date	RSPM-10 (µg/m ³)	RSPM-2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m ³)	Lead (µg/m ³)
1	December - 2015	1512/10618	03.12.2015	74.13	21.15	8.23	2.46	BDL	BDL
2		1512/10672	07.12.2015	72.14	18.34	7.52	1.87	BDL	BDL
3		1512/10715	10.12.2015	70.53	19.61	6.87	2.16	BDL	BDL
4		1512/10758	13.12.2015	74.68	14.70	5.10	1.79	BDL	BDL
5		1512/10801	16.12.2015	75.76	16.89	6.15	1.65	BDL	BDL
6		1512/10844	19.12.2015	72.80	19.63	5.98	2.37	BDL	BDL
7		1512/10887	26.12.2015	73.15	20.81	7.86	3.41	BDL	BDL
8		1512/10930	30.12.2015	72.83	23.78	9.21	4.21	BDL	BDL
1	January - 2016	1601/01092	03.01.2016	75.68	19.23	7.21	2.39	BDL	BDL
2		1601/01035	07.01.2016	70.62	17.54	5.65	0.76	BDL	BDL
3		1601/01078	11.01.2016	73.74	22.16	4.78	1.68	BDL	BDL
4		1601/01120	15.01.2016	72.84	17.26	5.87	2.17	BDL	BDL
5		1601/01163	19.01.2016	71.38	18.73	7.35	3.52	BDL	BDL
6		1601/01206	23.01.2016	72.51	20.31	8.17	4.16	BDL	BDL
7		1601/01249	27.01.2016	74.79	21.27	7.31	3.18	BDL	BDL
8		1601/01292	30.01.2016	71.49	27.64	8.54	2.79	BDL	BDL
1	February - 2016	1602/02566	03.02.2016	73.44	19.52	6.79	1.69	BDL	BDL
2		1602/02609	06.02.2016	70.85	21.13	7.27	2.77	BDL	BDL
3		1602/02652	10.02.2016	75.12	18.79	7.13	1.36	BDL	BDL
4		1602/02695	13.02.2016	74.57	19.63	6.89	1.73	BDL	BDL
5		1602/02738	17.02.2016	78.52	20.26	8.35	2.89	BDL	BDL
6		1602/02781	20.02.2016	79.13	22.73	9.62	3.92	BDL	BDL
7		1602/02824	22.02.2016	74.57	18.89	5.90	0.64	BDL	BDL
8		1602/02867	26.02.2016	72.37	17.98	7.21	2.49	BDL	BDL
	Avg.	-	-	73.65	19.91	7.12	2.41	-	-
	Min.	-	-	70.53	14.7	4.78	0.64	-	-
	Max.	-	-	79.13	27.64	9.62	4.21	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com
PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.
REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified



KLEAN LABORATORIES AND RESEARCH (P) LTD.

CIN : U73100MH2009PTC 195098

An Environmental Laboratory approved by MoEF.

vide Gazette notification of India S.No. 264 (E) Dtd February 13, 2012 valid up to 2017.

402 Purushottam Plaza, Baner Road, Pune - 411 045.

Tel. 020 - 46781028 E-mail : kleanlab@gmail.com Website : www.klean.org


An ISO 9001-2008, ISO 14001: 2004 & OHSAS 18001:2007, NABL Certified Laboratory

ANALYSIS REPORT

ALATGE STONE CRUSHING INDUSTRIES									
KURWADE MARAL BAUXITE MINE									
Station: Kurwade Village (Near Buffer Zone)									
Sr. No.	Month	Reports No.	Date	RSPM-10 (µg/m ³)	RSPM-2.5 (µg/m ³)	SO ₂ (µg/m ³)	NO _x (µg/m ³)	CO (mg/m ³)	Lead (µg/m ³)
1	December -2015	1512/10619	03.12.2015	72.36	14.17	9.46	2.68	BDL	BDL
2		1512/10673	07.12.2015	72.15	15.27	8.56	5.67	BDL	BDL
3		1512/10716	10.12.2015	73.46	19.14	5.89	3.98	BDL	BDL
4		1512/10759	13.12.2015	76.16	16.78	6.80	1.18	BDL	BDL
5		1512/10802	16.12.2015	70.74	17.84	9.36	2.68	BDL	BDL
6		1512/10845	19.12.2015	71.37	18.48	8.84	3.87	BDL	BDL
7		1512/10888	26.12.2015	73.84	19.84	8.25	4.57	BDL	BDL
8		1512/10931	30.12.2015	74.57	20.36	9.74	5.87	BDL	BDL
1	January -2016	1601/01093	03.01.2016	75.16	18.68	7.79	2.65	BDL	BDL
2		1601/01036	07.01.2016	73.86	21.14	6.59	1.19	BDL	BDL
3		1601/01079	11.01.2016	70.14	16.87	5.78	0.79	BDL	BDL
4		1601/01121	15.01.2016	72.73	19.35	7.28	2.60	BDL	BDL
5		1601/01164	19.01.2016	74.84	20.62	9.46	2.82	BDL	BDL
6		1601/01207	23.01.2016	73.58	19.36	8.69	2.68	BDL	BDL
7		1601/01250	27.01.2016	72.79	18.57	9.43	3.74	BDL	BDL
8		1601/01293	30.01.2016	70.48	19.62	7.90	4.69	BDL	BDL
1	February -2016	1602/02567	03.02.2016	73.36	17.36	7.58	1.79	BDL	BDL
2		1602/02610	06.02.2016	72.79	18.80	5.89	2.50	BDL	BDL
3		1602/02653	10.02.2016	75.65	16.79	8.38	1.86	BDL	BDL
4		1602/02696	13.02.2016	70.46	16.73	6.19	0.77	BDL	BDL
5		1602/02739	17.02.2016	74.68	15.80	5.70	1.23	BDL	BDL
6		1602/02782	20.02.2016	78.27	16.42	5.80	1.79	BDL	BDL
7		1602/02825	22.02.2016	79.41	18.48	7.13	2.85	BDL	BDL
8		1602/02868	26.02.2016	76.84	19.62	8.53	3.46	BDL	BDL
	Avg.	-	-	73.73	18.17	7.79	2.82	-	-
	Min.	-	-	70.14	14.17	5.7	0.77	-	-
	Max.	-	-	79.41	21.14	9.74	5.87	-	-

NOTE: 1) BDL: BELOW DETECTABLE LIMIT

FOR KLEAN LABORATORIES AND RESEARCH (P) LTD.



LAB INCHARGE

TARAPUR OFFICE : Shop No. 203/204B, 2nd floor, Arihant Market, Ostwal Empire, Boisar. Tel. 02525-266477, Mob. : 99233 03904 Email : klean.tarapur@gmail.com

PUNE OFFICE : 1340 Shivaji Nagar, Near Pune Corporation, Pune - 411 005.

REGD. OFFICE : Unit No. 79, Kakad Industrial Estate, opp. L. J. Road, Mahim (W), Mumbai - 400 016. Tel. : 022-2431 0961 Fax : 91 22 2431 0946

NABL Accredited | ISO 9001-2008 | EMS 14001:2004 | OHSAS 18001:2007 Certified